

Bereavement education

- Browning, D. M., Meyers, E. C., Truog, R. D., & Solomon, M. Z. (2007). Difficult conversations in health care: Cultivating relational learning to address the hidden curriculum. *Medical Education*, 82(9), 905-913.
- DiMarco, J., Renker, P., Medas, J., Bertosa, H., & Goranitis, J. L. (2002). Effects of an educational bereavement program on health care professionals' perceptions of perinatal loss. *Journal of Continuing Education in Nursing*, 33(4), 180-186.
- Lawrence, N. (2010). Care of bereaved parents after sudden infant death. *Emergency Nurse*, 18(3) 22-25.
- Peters, L., Cant, R., Payne, S., O'Connor, M., McDermott, F., Hood, K., Morphet, J., & Shimoinaba, K. (2013). How death anxiety impacts nurses' caring for patients at the end of life: A review of literature. *The Open Nursing Journal*, 7, 14-21.
- Zhang, W., & Lane, B. S. (2013). Promoting neonatal staff nurses' comfort and involvement in end of life and bereavement care. *Nursing Research and Practice*, 2013, ID 36539. Retrieved from <http://www.hindawi.com/journals/nrp/2013/365329>

Managing the grief of health professionals after the death of a patient

- Bateman, S. T., Dixon R., & Trozzi, M. (2012). The wrap-up: A unique forum to support pediatric residents when faced with the death of a child. *Journal of Palliative Medicine*, 15(2), 1329-1333.
- Keene, E. A., Hutton, N., Hall, B., & Rushton, C. (2010). Bereavement debriefing sessions: An intervention to support health care professionals in managing their grief after the death of a patient. *Pediatric Nursing*, 36(4) 185-189.
- Kobler, K. (in press). Leaning in and holding on: Team support with unexpected death. *MCN, The American Journal of Maternal/Child Nursing*, 39(2). Published-ahead-of-print (PAP). Available from <http://journals.lww.com/mcnjournal/toc/publishahead>
- Puia, D. M., Lewis, L., & Beck, C. T. (2013). Experiences of obstetric nurses who are present for a perinatal loss. *Journal of Obstetrics, Gynecology, and Neonatal Nursing*, 42, 321-331.

Supporting parents when their child dies

- Gold, K. J., Dalton, V. K., & Schwenk, T. L. (2007). Hospital care for parents after perinatal death. *Obstetrics & Gynecology*, 109(5), 1156-1166.
- Koopmans, L., Wilson, T., Cacciatore, J., & Flenady, V. (2013). Support for mothers, fathers and families after perinatal death. *Cochrane Database of Systematic Reviews*, 6, CD00452. Available from <http://summaries.cochrane.org/CD000452/support-for-mothers-fathers-and-families-after-perinatal-death>
- Limbo, R. & Kobler, K. (2013). *Meaningful moments: Ritual and reflection when a child dies*. La Crosse, WI: Gundersen Medical Foundation, Inc.

- Limbo, R., & Kobler, K. (2009). Will our baby be alive again?: Supporting parents of young children when a baby dies. *Nursing for Women's Health*, 13(4), 302-311.
- Limbo, R., Kobler, K., & Levang, E. (2010). Respectful disposition in early pregnancy loss. *MCN, The American Journal of Maternal /Child Nursing*, 35(5), 271-277. [CE:278-279]
- Limbo, R., & Kobler, K. (2010). The tie that binds: Relationships in perinatal bereavement. *MCN, The American Journal of Maternal Child Nursing*, 35(6), 316-321.
- McDonagh, J. R., Elliott, T. B., Engleberg, R. A., Treece, P. D., Shannon, S. E., Rubenfeld, G. D., . . . Curtis, J. R. (2004). Family satisfaction with family conferences about end-of-life care in the intensive care unit: Increased proportion of family speech is associated with increased satisfaction. *Critical Care Medicine* 32(7), 1484-1488.
- Meerts, K. L., Eggly, S., Pollack, M., Anand, J. S., Zimmerman, J., Carcillo, J., . . . Nicholson, C. (2007). Parents' perspectives regarding a physician-parent conference after their child's death in the pediatric intensive care unit. *The Journal of Pediatrics*, 151(1), 50-55.
- Nikkola, I., Kaunonen, M., & Aho, A. L. (2013). Supporting parents: Mother's experience of the support from a bereavement follow-up intervention after the death of a child. *Journal of Clinical Nursing*, 22, 1151-1162.
- Swanson, K. M., Chen, H. T., Graham, J. C., Wojnar, D. M., & Petras, A. (2009). Resolution of depression and grief during the first year after miscarriage: A randomized controlled clinical trial of couples-focused interventions. *Journal of Women's Health (Larchmt)*, 18, 1245-1257.

Financial, legal, and customer satisfaction savings of bereavement programs

- Comans, T., Visser, V., & Scuffham, P. (2013). Cost effectiveness of a community-based crisis intervention program for people bereaved by suicide. *Crisis*, 34(6), 390-397.
- Friedman, R., & Gradstein, B. (1996). *Surviving pregnancy loss*. (Rev. ed.) Boston: Little Brown & Co.
- Hickson, G. B., Federspiel, C. F., Pichert, J. W., Miller, C. S., Gauld-Jaeger, J., & Bost, P. (2002). Patient complaints and malpractice risk. *JAMA*. 287(22), 2951-2957.
- Johnson, L. J. (2011). Good rapport with patients helps lessen lawsuit risk. *Medical Economics*, 88(1), 65.
- Manser, T. (2011). Managing the aftermath of critical incidents: Meeting the needs of health-care providers and patients. *Best Practice & Research Clinical Anaesthesiology*, 25, 169-179.
- Peppers, L. G., & Knapp, R. J. (1980). *Motherhood and mourning*. New York: Praeger.
- Smith, S., Brick, A., O'Hara, S., & Normand, C. (2007). Evidence on the cost and cost-effectiveness of palliative care: A literature review. *Obstetrics & Gynecology*, 109(5), 1156-1166.
- Starks, H., Wang, S., Farber, S., Owens, D. A., & Curtis, R. (2013). Cost savings vary by length of stay for inpatients receiving palliative care consultation services. *Journal of Palliative Medicine*, 16(10), 1215-1220.
- Virshup, B. B., Oppenberg, A. A., Coleman, M. M. (1999). Strategic risk management: Reducing malpractice claims through more effective patient-doctor communication. *American Journal of Medical Quality*, 14(4), 153-159.

Value of utilizing evidence-based practice

- Reigle, B. S., Stevens, K. R., Belcher, J. V., Huth, M. M., McGuire, E., Mals, D., & Volz, T. (2008). Evidence-based practice and the road to Magnet status. *Journal of Nursing Administration, 38*(2), 97-102.

Positive use of photography

- Gold, K. J., Dalton, V. K., & Schwenk, T. L. (2007). Hospital care for parents after perinatal death. *Obstetrics & Gynecology, 109*(5), 1156-1166.
- Michelson, K. N., Blehart, K., Hochberg, T., & James, K. (2011). Bereavement photography for children: Program development and health care professionals' response. *Death Studies, 37*, 513-528.

Hope

- Feudtner, C., Carroll, K. W., Hexem, K. R., Silberman, J., Kang, T. I., & Kazak, A. E. (2010). Parental hopeful patterns of thinking, emotions, and pediatric palliative care decision making: A prospective cohort study. *Archives of Pediatric and Adolescent Medicine, 164*(9), 831-839.
- Roscigno, C. I., Savage, T. A., Kavanaugh, K., Moro, T. T., Kilpatrick, S. J., Strassner, H. T., . . . Kimura, R. E. (2012). Divergent views of hope influencing communications between parents and hospital providers. *Qualitative Health Research, 22*(9), 1232-1246.
- Feudtner, C., Santucci, G., Feinstein, J. A., Snyder, C. R., Rourke, M.T., & Kang, T. I. (2006). Hopeful thinking and level of comfort regarding providing pediatric palliative care: A survey of hospital nurses. *Pediatrics, 119*, e186-e193.

Interdisciplinary care

- Smart, C. J., & Smith, B. L. (2013). A transdisciplinary team approach to perinatal loss. *MCN, The American Journal of Maternal Child/Nursing, 38*(2), 110-114.
- Talsma, A., Grady, P. A., Feetham, S., Heinrich, J., & Steinwachs, D. M. (2008). The perfect storm: Patient safety and nursing shortages within the context of health policy and evidence-based practice. *Nursing Research, 57*(1), S15-S21.

Spirituality in health care

- Puchalski, C. M. (2001). The role of spirituality in health care. *BUMC Proceedings, 14*, 352-357.

Organized bereavement programs, follow up phone calls, and commemorative events

- Gold, K. J. (2007). Navigating care after a baby dies: A systematic review of parent experiences with health providers. *Journal of Perinatology*, 27, 230-237.
- Hottensen, D. (2013). Bereavement: Caring for families and friends after a patient dies. *Omega*, 67(1-2), 121-126.
- Wilke, J., & Limbo, R. (2011). Benefits of bereavement follow-up calls. *Children's Project on Palliative/Hospice Services (ChiPPS) Newsletter*, 23, 36-41.

Empathic communication

- Kelley, K. J., & Kelley, M. F. (2013). Teaching empathy and other compassion-based communication skills. *Journal of Nurses in Professional Development*, 29(6), 321-324.

Perinatal Palliative Care

- Kobler, K., & Limbo, R. (2011). Making a case: Creating a perinatal palliative care service using a perinatal bereavement program model. *Journal of Perinatal and Neonatal Nursing*, 25(1), 32-41.
- Kobler, K., Limbo, R., & Oakdale, C. (2012). Childbirth education for parents receiving perinatal palliative care. *International Childbirth Education Association Journal*, 27(2), 26-32.
- Limbo, R., & Kobler, K. (2014). Editorial (Joint guest editor of special issue on palliative care). *Illness, Crisis, & Loss*, 22(1), 1-2.
- Limbo, R., & Lathrop, A. (2014). Caregiving in mothers' narratives of perinatal hospice. *Illness, Crisis, & Loss*, 22(1), 43-65.